

FIG. 3





FIG. 3(a)






FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16

ORDER OF PIXELS PRESENTED BY A SEQUENTIAL READ ITERATOR ON A 4 X 2 IMAGE WITH PADDING.

	9	1	2	3	
4	4	5	0	7	

FIG. 17






FIG. 18

A 3x3 BOX VIEW TRAVERSES THE PIXELS IN ORDER: O, 1, 2, 3, 4, 5, 6, 7, 8
ETC, PLACING A 3x3 BOX CENTERED OVER EACH PIXEL...




3x3 BOX VIEW OF SECOND PIXEL IN IMAGE = 9 PIXELS, 3 OF WHICH ARE OUTSIDE THE IMAGE




SECOND 9 PIXELS FROM THE BOX READ ITERATOR:

IF DUPLICATION OF EDGE PIXELS
IS ON: 0, 1, 2, 0, 1, 2, 4, 5, 6

IF DUPLICATION OF EDGE PIXELS
IS OFF: V, V, V, O, 1, 2, 4, 5, 6
WHERE V IS CONSTANTPIXEL
REGISTER VALUE REPRESENTING
"OUTSIDE THE IMAGE"








FIG. 22




FIG. 23




FIG. 24




FIG. 25





FIG. 26



2X2 PIXEL BLOCK FROM SENSOR

FIG. 27




FIG. 28





FIG. 29



2X2 PIXEL BLOCK FROM CCD

FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34





FIG. 35








FIG. 37








FIG. 40





FIG. 41






FIG. 44







FIG. 45






BLACK AND WHITE DOTS



BLACK DOT SURROUNDED BY WHITE



WHITE DOT SURROUNDED BY BLACK

FIG. 47






FIG. 48








FIG. 49




FIG. 50




FIG. 53





FIG. 54






FIG. 56







FIG. 57



2 CONTROL BLOCKS

N REED-SOLOMON BLOCKS, ENCODING THE FIRST COPY OF THE DATA.

1130

N REED-SOLOMON BLOCKS, ENCODING THE SECOND COPY OF THE DATA.

OTHER COPIES OF THE DATA (NOT SHOWN) EACH COPY IS N BLOCKS.

FINAL COPY OF DATA - THERE IS ONLY ENOUGH SPACE FOR FIRST 2 OF THE N BLOCKS.

FIG. 58

```
00: 4F 00 3D 4F 00 3D 4F 00 3D 4F 00 3D
       00 3D 4F 00 3D 4F
                           00
                               3D 4F
                                     00
                                         3D
           3D 4F
                 00
                     3D
                        4F
                           00 3D
                                         3D
       00
           3D
             4F
                 00
                     3D
                       4F
                           00
                               3D
                                         3D
                                                 32 COPIES OF THE
30: 4F
       00
           3D
             4F
                 00
                     3D
                        4F
                           00
                              3D
                                        3D
                                                 3 BYTE CONTROL
    4F
       00
          3D
             4F
                 00
                    3D
                        4F
                           00 3D
                                                   INFORMATION
    4F
       00 3D 4F
                 00
                    3D
                       4F
                           00
                              3D
    4F
       00
             4F
          3D
                 00
                        4F
                    3D
                           00
                              3D
                                     00
                                        3D
       00
          00
             00 00
                    00
                        00
                           00
                              00
                                  00
                                     00
                                        00
6C: 00
       00
              00 00
          00
                    00
                        00,00
                              00
                                                  RESERVED
                                     00 00
   00 00
          00
             00 00 00 00 00 00
                                                 BYTES ARE O
```

FIG. 59





FIG. 60






FIG. 62





FIG. 63

36/140



RANGE OF BLACK DOTS (FREQUENCY DISTRIBUTION)






FIG. 65



PROBABILITY OF A SYMBOL BEING IN ERROR DURING A READ

FIG. 66



APPROXIMATE DATA SIZES FOR 1600 DPI DOTCARD

BOMM + 1MM IN HORIZONTAL DIMENSION FOR P ROTATION = B7MM

B7MM = 16,252 SCANLINES

16,440 SCANLINES @ 11,000 PIXELS PER SCANLINE = 180,840,000 PIXELS 180,840,000 PIXELS @ 1 BYTE PER PIXEL = 180,840,000 BYTES = 172.5 MB

COLUMNS AND 2 ORIENTATION COLUMNS), @ 48 BYTES PER COLUMN = 28,656 64 DATA BLOCKS, EACH CONTAINING 597 COLUMNS (595 DATA REGION BYTES PER DATA BLOCK FOR A TOTAL OF 1,833,984 BYTES. 64 DATA BLOCKS, EACH CONTAINING 112 ENCODED REED SOLOMON BLOCKS, @ 255 BYTES PER REED SOLOMON BLOCK FOR A TOTAL OF 1,827,840 BYTES.

DECODED DATA, WITH A MAXIMUM SIZE OF **910,082 BYTES**. (64 X 112 X 127 – (2 CONTROL BLOCKS @ 127 BYTES)) FIG. 67




FIG. 68




FIG. 69




FIG. 70




FIG. 71




FIG. 72




FIG. 73




FIG. 74




FIG. 75




FIG. 76




FIG. 77




FIG. 78




FIG. 79




FIG. 80




FIG. 81




FIG. 82




FIG. 83




FIG. 84




FIG. 85




FIG. 86




FIG. 88




FIG. 87




FIG. 89




FIG. 90




FIG. 91




FIG. 92







FIG. 93











FIG. 96






FIG. 99







FIG. 100











FIG. 108






FIG. 110



2X2 PIXEL BLOCK, O DEGREES



2X2 PIXEL BLOCK, 90 DEGREES




2X2 PIXEL BLOCK, 180 DEGREES



2X2 PIXEL BLOCK, 270 DEGREES

FIG. 111




- LINEAR INTERPOLATED PIXELS



ACTUAL PIXELS (NOT INTERPOLATED)

FIG. 112



LINEAR INTERPOLATED PIXELS




BI-LINEAR INTERPOLATED PIXELS



ACTUAL PIXELS (NOT INTERPOLATED)

FIG. 113



- LINEAR INTERPOLATED PIXELS



BI-LINEAR INTERPOLATED PIXELS



ACTUAL PIXELS (NOT INTERPOLATED)

FIG. 114




FIG. 115




FIG. 116






FIG. 117




FIG. 118




FIG. 119




FIG. 120




FIG. 121




FIG. 122




FIG. 123




FIG. 124




FIG. 125




FIG. 126




FIG. 127




FIG. 128




FIG. 129




FIG. 130




FIG. 131







FIG. 132






FIG. 134




FIG. 135




FIG. 136




FIG. 137




FIG. 138




FIG. 139




FIG. 140




FIG. 141




FIG. 142




FIG. 143




FIG. 144




FIG. 145




FIG. 146




FIG. 147




FIG. 148




FIG. 149




FIG. 150




FIG. 151






FIG. 152

78/140



EACH SEGMENT CONTAINS 6 ROWS OF DOTS: ODD AND EVEN CYAN, MAGENTA, AND YELLOW.

FIG. 153







FIG. 155



1 PIXEL = 6 X 6 DOTS = 36 DOTS = 100 μm SQUARE

FIG. 156




FIG. 157







FIG. 158










FIG. 162




FIG. 163




FIG. 164




FIG. 165




FIG. 166




FIG. 167




FIG. 168




FIG. 169




FIG. 170




FIG. 171




FIG. 172




FIG. 173




FIG. 174





FIG. 175







FIG. 177






FIG. 179




FIG. 180




FIG. 181




FIG. 182




FIG. 183




FIG. 184




FIG. 185




FIG. 186




FIG. 187





FIG. 188






FIG. 190




FIG. 191




FIG. 192




FIG. 193




FIG. 194




FIG. 195




FIG. 196




FIG. 197




FIG. 198




FIG. 199




FIG. 200




FIG. 201




FIG. 202




FIG. 203

114/140

705

DATA TYPE	BITS
Factory Code	16
Batch Number	32
Serial Number	48
Manufacturing Date	16
Media Length	24
Media Type	. 8
Preprinted Media Length	16
Cyan Ink Viscosity	8
Magenta Ink Viscosity	8
Yellow Ink Viscosity	8
Cyan Drop Volume	8
Magenta Drop Volume	8
Yellow Drop Volume	8
Cyan Ink Color	24
Magenta Ink Color	24
Yellow Ink Color	24
Remaining-media Length Indicator	16
Authentication Key	128
Copyrightable bit pattern	512
Reserved for Camera Use	88
Total	1024

728

FIG. 204




FIG. 205




FIG. 206





FIG. 207






FIG. 209









FIG. 210




















FIG. 219

